

## TECHNICAL SPECIFICATIONS

CHARACTERISTICS		STANDARD AS PER ISO-13006/EN14411 GROUP B1a	MEAN VALUE OF DOUBLE CHARGE / NANO	TEST METHOD
<b>A REGULATORY PROPERTIES</b>				
1	Deviation in Length & width	±0.5%	±0.1%	ISO-10545-2
2	Deviation in Thickness	±5.0%	±4.0%	ISO-10545-2
3	Straightness in Sides	±0.5%	±0.1%	ISO-10545-2
4	Rectangularity	±0.5%	±0.1%	ISO-10545-2
5	Surface Flatness	±0.5%	±0.2%	ISO-10545-2
6	Colour difference	Unaltered	No change	ISO-10545-16
7	Glossiness	As per mfg.	Min 90%	GLOSSOMETER
<b>B STRUCTURAL PROPERTIES</b>				
1	Water absorption	<0.50%	<0.05%	ISO-10545-3
2	Apparent density	±2.0/g/cc	>2.10g/cc	DIN 51082
<b>C MASSIVE MECHANICAL PROPERTIES</b>				
1	Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
2	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
<b>D SURFACE MECHANICAL PROPERTIES</b>				
1	Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
2	MOH' hardness	As per mfg	Min. 4	EN 101
<b>E THERMO HYGROMETRIC PROPERTIES</b>				
1	Frost resistance	No Damage	No Damage	ISO-10545-12
2	Thermal shock resistance	No Damage	No Damage	ISO-10545-9
3	Moisture expansion	Nil	Nil	ISO-10545-10
4	Thermal expansion (COE)	Max. 8.0 x 10 <sup>-6</sup>	Max. 6.5x10 <sup>-6</sup>	ISO-10545-8
5	Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
<b>F CHEMICAL PROPERTIES</b>				
1	Chemical resistance	No Damage	No Damage	ISO-10545-13
2	Stain resistance	Resistant	Resistant	ISO-10545-14
<b>G SAFETY PROPERTIES</b>				
1	Slip resistance	As per mfg	>0.40	ISO-10545-17
2	Fire resistance	As per mfg	Fireproof	N.A.
3	Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

## PACKING DETAILS

Product	Size	Thickness	No. of Tiles/Box	Coverage Area	Coverage Area	Weight of Box
Double Charge	800x800mm	10mm (approx.)	3 pcs.	1.92 sq.mtr.	20.67 sq.ft.	41 kgs. (approx.)
Double Charge	600x600mm	9mm (approx.)	4 pcs.	1.44 sq.mtr.	15.50 sq.ft.	26 kgs. (approx.)
Nano	600x600mm	8mm (approx.)	4 pcs.	1.44 sq.mtr.	15.50 sq.ft.	26 kgs. (approx.)

### Note :

- ▶ There may be difference in the colors, please see the actual tiles before placing order.
- ▶ No claims of what so ever are entertained after fixing.

**VICTORY**  
DIGITAL WALL & FLOOR TILES

**BuildMAX**

Caribbean & Latin America: +(592) 644-3242  
USA: +1(516) 515-7702  
Email: sales@buildmax.us

Tamilnadu : 9381200298 / 9362808057, Gujarat : 9327048787, Jammu & Punjab : 9316461895, Karnataka : 7043005907, Maharashtra : 9371250273, Mumbai : 9699511564, Rajasthan : 9309084893, Bihar / Jharkhand / Orissa / W.B : 7043430567, Other State: 9377166845

VDW / VF-4-06/19

**VICTORY**  
DIGITAL WALL & FLOOR TILES



**DOUBLE CHARGED & NANO**  
600X600MM

800X800MM | 600X600MM

From the house of

**PAVIT**<sup>®</sup>  
Inspired Mindscapes


**Pearl** Series  
Double Charged Vitrified Tiles

Polished | 600x600 | 800x800

Floor Tile



Light Series



Pearl White



Pearl Gold

Dark Series



Pearl Almond



Pearl Black



Pearl Lush



Pearl Grigio



Pearl White & Pearl Black

**Pearl** Series  
Double Charged Vitrified Tiles

Polished | 600x600 | 800x800


Floor Tile



Light Series




Pearl Beige



Pearl Pink

Dark Series



Pearl Gris



Pearl Rossa



Pearl Pink & Pearl Brown



Pearl Sky Black



Pearl Brown

**Dyna** Series  
Double Charged Vitrified Tiles


Polished | 600x600

Floor Tile

Light Series



Dyna White



Dyna Gold



Dyna Black

Dark Series



Dyna Rosa



Dyna Grey



Dyna White & Dyna Grey

# Nano Diame Series

Vitrified Tiles

Polished | 600x600

## Light Series



IT-Ivory



IT-1001



IT-1003



IT-1004



IT-1009



IT-1107



IT-1107



IT-1019



IT-1023



IT-1109



IT-1111



IT-1115



IT-1120




IT-1126



IT-1128



IT-2210



IT-2214